



Hose clips and Pipe clips





Hose clips and Pipe clips

Materials and surface finishes:

- W1 Zinc plated - completely made of coated steel, small requirement from the corrosion resistance.
- W2 Stainless steel - band and housing (chrome-steel 1.4016), GALVANIZED screw. From small up to middle requirement from the corrosion resistance, but with warranty of solvability of corrosive connections.
- W4 Stainless steel - complete chrome-nickel-steel 1.4301 (or similar steel). Also known as V2A. Great requirements from the corrosion resistance and design.
- W5 completely made of chrome-nickel-molybdenum-steel 1.4571 (1.4401). Also known as V4A. W5 is seawater-resistant and heavily magnetizable. Great requirements from the corrosion resistance.

| Art. no. | Designation | Function | Package content |
|------------|----------------|---|-----------------|
| 7200000002 | mounting plier | for front and side assembly of ear clamps | 1 |



| Art. no. | Designation | Function | Package content |
|------------|----------------------------|-----------------------------|-----------------|
| 1200070000 | flexible screw driver SW 7 | fixing of worm-drive clamps | 1 |



Assortment boxes

Worm-drive clamps TI 9/TI 12

1-ear clamp or 2-ear clamp

Available on enquiry.

Hose clips and pipe clips


Worm-drive clamps „TI 9“
with embossed band

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|---------|----------------|--------------------|
| | W1 | W2 | W4 | W5 | | | |
| 100801209/ | 1 | 2 | 3 | 4 | 8-12 | 9 | 50 |
| 101001609/ | 1 | 2 | 4 | 5 | 10-16 | 9 | 50 |
| 101202009/ | 1 | 2 | 4 | 5 | 12-20 | 9 | 50 |
| 101202209/ | 1 | 2 | 4 | 5 | 12-22 | 9 | 50 |
| 101602709/ | 1 | 2 | 4 | 5 | 16-27 | 9 | 50 |
| 102003209/ | 1 | 2 | 4 | 5 | 20-32 | 9 | 50 |
| 102303509/ | 1 | 2 | 4 | 5 | 23-35 | 9 | 50 |
| 102504009/ | 1 | 2 | 4 | 5 | 25-40 | 9 | 50 |
| 103004509/ | 1 | 2 | 4 | 5 | 30-45 | 9 | 25 |
| 103205009/ | 1 | 2 | 4 | 5 | 32-50 | 9 | 25 |
| 104006009/ | 1 | 2 | 4 | 5 | 40-60 | 9 | 25 |
| 105007009/ | 1 | 2 | 4 | 5 | 50-70 | 9 | 25 |
| 106008009/ | 1 | 2 | 4 | 5 | 60-80 | 9 | 25 |
| 107009009/ | 1 | 2 | 4 | 5 | 70-90 | 9 | 25 |
| 108010009/ | 1 | 2 | 4 | 5 | 80-100 | 9 | 25 |
| 109011009/ | 1 | 2 | 4 | 5 | 90-110 | 9 | 25 |
| 110012009/ | 1 | 2 | 4 | 5 | 100-120 | 9 | 25 |
| 111013009/ | 1 | 2 | 4 | 5 | 110-130 | 9 | 25 |
| 112014009/ | 1 | 2 | 4 | 5 | 120-140 | 9 | 25 |
| 113015009/ | 1 | 2 | 4 | 5 | 130-150 | 9 | 25 |
| 114016009/ | 1 | 2 | 4 | 5 | 140-160 | 9 | 25 |
| 115017009/ | 1 | 2 | 4 | 5 | 150-170 | 9 | 25 |
| 116018009/ | 1 | 2 | 4 | 5 | 160-180 | 9 | 25 |
| 117019009/ | 1 | 2 | 4 | 5 | 170-190 | 9 | 25 |
| 118020009/ | 1 | 2 | 4 | 5 | 180-200 | 9 | 25 |
| 119021009/ | 1 | 2 | 4 | 5 | 190-210 | 9 | 25 |
| 120022009/ | 1 | 2 | 4 | 5 | 200-220 | 9 | 25 |
| 121023009/ | 1 | 2 | 4 | 5 | 210-230 | 9 | 25 |
| 122024009/ | 1 | 2 | 4 | 5 | 220-240 | 9 | 25 |
| 123025009/ | 1 | 2 | 4 | 5 | 230-250 | 9 | 25 |
| 124026009/ | 1 | 2 | 4 | 5 | 240-260 | 9 | 25 |
| 125027009/ | 1 | 2 | 4 | 5 | 250-270 | 9 | 25 |
| 126028009/ | 1 | 2 | 4 | 5 | 260-280 | 9 | 25 |
| 127029009/ | 1 | 2 | 4 | 5 | 270-290 | 9 | 25 |
| 128030009/ | 1 | 2 | 4 | 5 | 280-300 | 9 | 25 |
| 129031009/ | 1 | 2 | 4 | 5 | 290-310 | 9 | 25 |
| 130032009/ | 1 | 2 | 4 | 5 | 300-320 | 9 | 25 |



Order example:

Art.no. 1 008012 09 1/2"/4/5



By greater dimensions, we recommend our endless band (EB) with loose headers or our fastening clamp with folding housing (VF).

hose clips and pipe clips


Worm-drive clamps „TI 12“
with embossed band

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 101602712/ | 1 | 2 | 4 | 5 | 16-27 | 12 | 50 |
| 102003212/ | 1 | 2 | 4 | 5 | 20-32 | 12 | 50 |
| 102303512/ | 1 | 2 | 4 | 5 | 23-35 | 12 | 50 |
| 102504012/ | 1 | 2 | 4 | 5 | 25-40 | 12 | 50 |
| 103004512/ | 1 | 2 | 4 | 5 | 30-45 | 12 | 50 |
| 103205012/ | 1 | 2 | 4 | 5 | 32-50 | 12 | 50 |
| 104006012/ | 1 | 2 | 4 | 5 | 40-60 | 12 | 25 |
| 105007012/ | 1 | 2 | 4 | 5 | 50-70 | 12 | 25 |
| 106008012/ | 1 | 2 | 4 | 5 | 60-80 | 12 | 25 |
| 107009012/ | 1 | 2 | 4 | 5 | 70-90 | 12 | 25 |
| 108010012/ | 1 | 2 | 4 | 5 | 80-100 | 12 | 25 |
| 109011012/ | 1 | 2 | 4 | 5 | 90-110 | 12 | 25 |
| 110012012/ | 1 | 2 | 4 | 5 | 100-120 | 12 | 25 |
| 111013012/ | 1 | 2 | 4 | 5 | 110-130 | 12 | 15 |
| 112014012/ | 1 | 2 | 4 | 5 | 120-140 | 12 | 15 |
| 113015012/ | 1 | 2 | 4 | 5 | 130-150 | 12 | 15 |
| 114016012/ | 1 | 2 | 4 | 5 | 140-160 | 12 | 15 |
| 115017012/ | 1 | 2 | 4 | 5 | 150-170 | 12 | 15 |
| 116018012/ | 1 | 2 | 4 | 5 | 160-180 | 12 | 15 |
| 117019012/ | 1 | 2 | 4 | 5 | 170-190 | 12 | 15 |
| 118020012/ | 1 | 2 | 4 | 5 | 180-200 | 12 | 15 |
| 119021012/ | 1 | 2 | 4 | 5 | 190-210 | 12 | 15 |
| 120022012/ | 1 | 2 | 4 | 5 | 200-220 | 12 | 15 |
| 121023012/ | 1 | 2 | 4 | 5 | 210-230 | 12 | 15 |
| 122024012/ | 1 | 2 | 4 | 5 | 220-240 | 12 | 15 |
| 123025012/ | 1 | 2 | 4 | 5 | 230-250 | 12 | 15 |
| 124026012/ | 1 | 2 | 4 | 5 | 240-260 | 12 | 15 |
| 125027012/ | 1 | 2 | 4 | 5 | 250-270 | 12 | 15 |
| 126028012/ | 1 | 2 | 4 | 5 | 260-280 | 12 | 15 |
| 127029012/ | 1 | 2 | 4 | 5 | 270-290 | 12 | 15 |
| 128030012/ | 1 | 2 | 4 | 5 | 280-300 | 12 | 15 |
| 129031012/ | 1 | 2 | 4 | 5 | 290-310 | 12 | 15 |
| 130032012/ | 1 | 2 | 4 | 5 | 300-320 | 12 | 15 |



Order example:

Art.no. 1 008012 09 1/2"/4/5



By greater dimensions, we recommend our endless band (EB) with loose headers or our fastening clamp with folding housing (VF).

Hose clips and pipe clips

Worm-drive clamps „TI 8“
with punched-through band

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 100601608/ | - | 2 | 4 | - | 6-16 | 8 | 100 |
| 100701708/ | - | 2 | 4 | - | 7-17 | 8 | 100 |
| 100802208/ | - | 2 | 4 | - | 8-22 | 8 | 100 |
| 101002708/ | - | 2 | 4 | - | 10-27 | 8 | 100 |
| 101303808/ | - | 2 | 4 | - | 13-38 | 8 | 100 |
| 101904408/ | - | 2 | 4 | - | 19-44 | 8 | 100 |
| 102605108/ | - | 2 | 4 | - | 26-51 | 8 | 100 |
| 103205708/ | - | 2 | 4 | - | 32-57 | 8 | 100 |
| 103806308/ | - | 2 | 4 | - | 38-63 | 8 | 100 |
| 104507008/ | - | 2 | 4 | - | 45-70 | 8 | 100 |
| 105708208/ | - | 2 | 4 | - | 57-82 | 8 | 100 |
| 106408908/ | - | 2 | 4 | - | 64-89 | 8 | 100 |
| 117610208/ | - | 2 | 4 | - | 76-102 | 8 | 100 |



Worm-drive clamps „LF 5“
with punched-through band

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 100701105/ | - | 2 | 4 | - | 7-11 | 5 | 100 |
| 101001905/ | - | 2 | 4 | - | 10-19 | 5 | 100 |




Endless band with loose headers „EB 13“
with punched-through band

| Art. no. | Material | | | | Width in mm | Package content |
|------------|----------|-----|-----|----|-------------|--------------------|
| | W1 | W2 | W4 | W5 | | |
| 121300003B | - | yes | - | - | 13 | Band 3 m / 6 heads |
| 121300030B | - | yes | - | - | 13 | 30 m |
| 121300050K | - | yes | - | - | 13 | 50 heads |
| 141300003B | - | - | yes | - | 13 | Band 3 m / 6 heads |
| 141300030B | - | - | yes | - | 13 | 30 m |
| 141300050K | - | - | yes | - | 13 | 50 heads |



Order example:

Art.no. 1 008012 09 1/2"/4/5




By greater dimensions, we recommend our endless band (EB) with loose headers or our fastening clamp with folding housing (VF).

hose clips and pipe clips

Fastening clamps „VF 9“
with embossed band

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|-------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 160080VF09/ | - | 2 | 4 | - | 60-80 | 9 | 100 |
| 160090VF09/ | - | 2 | 4 | - | 60-90 | 9 | 100 |
| 160110VF09/ | - | 2 | 4 | - | 60-110 | 9 | 100 |
| 160135VF09/ | - | 2 | 4 | - | 60-135 | 9 | 100 |
| 160145VF09/ | - | 2 | 4 | - | 60-145 | 9 | 100 |
| 160170VF09/ | - | 2 | 4 | - | 60-170 | 9 | 100 |
| 160215VF09/ | - | 2 | 4 | - | 60-215 | 9 | 100 |
| 160270VF09/ | - | 2 | 4 | - | 60-270 | 9 | 100 |
| 160325VF09/ | - | 2 | 4 | - | 60-325 | 9 | 100 |
| 160380VF09/ | - | 2 | 4 | - | 60-380 | 9 | 100 |
| 160425VF09/ | - | 2 | 4 | - | 60-425 | 9 | 100 |
| 160525VF09/ | - | 2 | 4 | - | 60-525 | 9 | 100 |
| 160660VF09/ | - | 2 | 4 | - | 60-660 | 9 | 100 |



Fastening clamps „VF 12“
with embossed band

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|-------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 160080VF12/ | - | 2 | - | - | 60-80 | 12 | 100 |
| 160090VF12/ | - | 2 | - | - | 60-90 | 12 | 100 |
| 160110VF12/ | - | 2 | - | - | 60-110 | 12 | 100 |
| 160135VF12/ | - | 2 | - | - | 60-135 | 12 | 100 |
| 160145VF12/ | - | 2 | - | - | 60-145 | 12 | 100 |
| 160170VF12/ | - | 2 | - | - | 60-170 | 12 | 100 |
| 160215VF12/ | - | 2 | - | - | 60-215 | 12 | 100 |
| 160270VF12/ | - | 2 | - | - | 60-270 | 12 | 100 |
| 160325VF12/ | - | 2 | - | - | 60-325 | 12 | 100 |
| 160380VF12/ | - | 2 | - | - | 60-380 | 12 | 100 |
| 160425VF12/ | - | 2 | - | - | 60-425 | 12 | 100 |
| 160525VF12/ | - | 2 | - | - | 60-525 | 12 | 100 |
| 160660VF12/ | - | 2 | - | - | 60-660 | 12 | 100 |



Endless band „EB 9“ with loose foldable headers „VF “
with embossed band

| Art. no. | Material | | | | Width in mm | Package content |
|------------|----------|-----|-----|----|-------------|--------------------|
| | W1 | W2 | W4 | W5 | | |
| 110900003B | yes | - | - | - | 9 | 3 m / 6 heads |
| 120900030B | - | yes | - | - | 9 | 30 m |
| 110900050K | yes | - | - | - | 9 | 50 heads |
| 140900003B | - | - | yes | - | 9 | Band 3 m / 6 heads |
| 140900030B | - | - | yes | - | 9 | 30 m |
| 140900050K | - | - | yes | - | 9 | 50 heads |



Hose clips and pipe clips

Hinge bolt clamps „GBS “ 1-part

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|-------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 2_18101719 | 1 | - | - | 5 | 17-19 | 18 | 50 |
| 2_18102022 | 1 | - | - | 5 | 20-22 | 18 | 50 |
| 2_18102325 | 1 | - | - | 5 | 23-25 | 18 | 50 |
| 2_18102628 | 1 | - | - | 5 | 26-28 | 18 | 50 |
| 2_18102931 | 1 | - | - | 5 | 29-31 | 18 | 50 |
| 2_20103235 | 1 | - | - | 5 | 32-35 | 20 | 50 |
| 2_20103639 | 1 | - | - | 5 | 36-39 | 20 | 50 |
| 2_20104043 | 1 | - | - | 5 | 40-43 | 20 | 50 |
| 2_20104447 | 1 | - | - | 5 | 44-47 | 20 | 50 |
| 2_20104851 | 1 | - | - | 5 | 48-51 | 20 | 50 |
| 2_20105255 | 1 | - | - | 5 | 52-55 | 20 | 25 |
| 2_20105659 | 1 | - | - | 5 | 56-59 | 20 | 25 |
| 2_20106063 | 1 | - | - | 5 | 60-63 | 20 | 25 |
| 2_25106467 | 1 | - | - | 5 | 64-67 | 25 | 25 |
| 2_25106873 | 1 | - | - | 5 | 68-73 | 25 | 25 |
| 2_25107479 | 1 | - | - | 5 | 74-79 | 25 | 25 |
| 2_25108085 | 1 | - | - | 5 | 80-85 | 25 | 25 |
| 2_25108691 | 1 | - | - | 5 | 86-91 | 25 | 25 |
| 2_25109297 | 1 | - | - | 5 | 92-97 | 25 | 25 |
| 2_251098103 | 1 | - | - | 5 | 98-103 | 25 | 24 |
| 2_251104112 | 1 | - | - | 5 | 104-112 | 25 | 24 |
| 2_251113121 | 1 | - | - | 5 | 113-121 | 25 | 20 |
| 2_251122130 | 1 | - | - | 5 | 122-130 | 25 | 16 |
| 2_251131139 | 1 | - | - | 5 | 131-139 | 25 | 16 |
| 2_251140148 | 1 | - | - | 5 | 140-148 | 25 | 12 |
| 2_251149161 | 1 | - | - | 5 | 149-161 | 25 | 8 |
| 2_251162174 | 1 | - | - | 5 | 162-174 | 25 | 8 |
| 2_251175187 | 1 | - | - | 5 | 175-187 | 25 | 8 |
| 2_251188200 | 1 | - | - | 5 | 188-200 | 25 | 5 |
| 2_251201213 | 1 | - | - | 5 | 201-213 | 25 | 5 |
| 2_251214226 | 1 | - | - | 5 | 214-226 | 25 | 5 |
| 2_251227239 | 1 | - | - | 5 | 227-239 | 25 | 5 |
| 2_251240252 | 1 | - | - | 5 | 240-252 | 25 | 5 |



Further sizes and materials are available on enquiry.

hose clips and pipe clips

Hinge bolt clamps „ GBS “
2-part

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|-------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 2_20204048 | 1 | - | - | 5 | 40-48 | 20 | 5 |
| 2_20204856 | 1 | - | - | 5 | 48-56 | 20 | 5 |
| 2_20205664 | 1 | - | - | 5 | 56-64 | 20 | 5 |
| 2_20206472 | 1 | - | - | 5 | 64-72 | 20 | 5 |
| 2_20207280 | 1 | - | - | 5 | 72-80 | 20 | 5 |
| 2_20208088 | 1 | - | - | 5 | 80-88 | 20 | 5 |
| 2_20208896 | 1 | - | - | 5 | 88-96 | 20 | 5 |
| 2_202096104 | 1 | - | - | 5 | 96-104 | 20 | 5 |
| 2_25208095 | 1 | - | - | 5 | 80-95 | 25 | 5 |
| 2_252095110 | 1 | - | - | 5 | 95-110 | 25 | 5 |
| 2_252110125 | 1 | - | - | 5 | 110-125 | 25 | 5 |
| 2_252125140 | 1 | - | - | 5 | 125-140 | 25 | 5 |
| 2_252140155 | 1 | - | - | 5 | 140-155 | 25 | 5 |
| 2_252155170 | 1 | - | - | 5 | 155-170 | 25 | 5 |
| 2_252170185 | 1 | - | - | 5 | 170-185 | 25 | 5 |
| 2_252185205 | 1 | - | - | 5 | 185-205 | 25 | 5 |
| 2_252205225 | 1 | - | - | 5 | 205-225 | 25 | 5 |
| 2_252225245 | 1 | - | - | 5 | 225-245 | 25 | 5 |
| 2_302185205 | 1 | - | - | 5 | 185-205 | 30 | 5 |
| 2_302205225 | 1 | - | - | 5 | 205-225 | 30 | 5 |
| 2_302225245 | 1 | - | - | 5 | 225-245 | 30 | 5 |
| 2_302245265 | 1 | - | - | 5 | 245-265 | 30 | 5 |
| 2_302265285 | 1 | - | - | 5 | 265-285 | 30 | 5 |
| 2_302285305 | 1 | - | - | 5 | 285-305 | 30 | 5 |
| 2_302305325 | 1 | - | - | 5 | 305-325 | 30 | 5 |
| 2_302325345 | 1 | - | - | 5 | 325-345 | 30 | 5 |
| 2_302345365 | 1 | - | - | 5 | 345-365 | 30 | 5 |
| 2_302365385 | 1 | - | - | 5 | 365-385 | 30 | 5 |
| 2_302385405 | 1 | - | - | 5 | 385-405 | 30 | 5 |
| 2_302405425 | 1 | - | - | 5 | 405-425 | 30 | 5 |
| 2_302425445 | 1 | - | - | 5 | 425-445 | 30 | 5 |
| 2_302445465 | 1 | - | - | 5 | 445-465 | 30 | 5 |



Further sizes and materials are available on enquiry.



Phone:
Fax:
Email:
Homepage:

+49 (0) 231 / 725 790 -0
+49 (0) 231 / 725 790 -10
info@hokon-verschluss technik.de
www.hokon-verschluss technik.de

Hose clips and pipe clips

Elongated hose clamp „chimney clamps “
with welding sockets




| Art. no. | Material | | | | Length in mm | Width in mm | Package content |
|------------|----------|----|-----|----|-----------------|----------------|--------------------|
| | W1 | W2 | W4 | W5 | | | |
| 3409100170 | - | - | yes | - | 100-170 | 9 | - |

Further sizes and quantities on enquiry.

| Art. no. | Material | | | | Length in mm | Width in mm | Package content |
|------------|----------|----|-----|----|-----------------|----------------|--------------------|
| | W1 | W2 | W4 | W5 | | | |
| 3413100170 | - | - | yes | - | 100-170 | 13 | - |

Order example:



Double wire clamps „DDK “

| Art. no. | Material | | | | Pipe Ø in mm | Package content |
|------------|----------|----|----|----|-----------------|--------------------|
| | W1 | W2 | W4 | W5 | | |
| 5911000016 | yes | - | - | - | 13-16 | 50 |
| 5911000018 | yes | - | - | - | 15-18 | 50 |
| 5911000020 | yes | - | - | - | 17-20 | 50 |
| 5911000023 | yes | - | - | - | 19-23 | 50 |
| 5911000025 | yes | - | - | - | 22-25 | 50 |
| 5911000027 | yes | - | - | - | 24-27 | 50 |
| 5911000031 | yes | - | - | - | 27-31 | 50 |
| 5911000035 | yes | - | - | - | 31-35 | 50 |
| 5911000037 | yes | - | - | - | 33-37 | 50 |
| 5911000040 | yes | - | - | - | 36-40 | 50 |
| 5911000043 | yes | - | - | - | 39-43 | 50 |
| 5911000046 | yes | - | - | - | 41-46 | 50 |
| 5911000049 | yes | - | - | - | 44-49 | 50 |
| 5911000053 | yes | - | - | - | 47-53 | 50 |
| 5911000056 | yes | - | - | - | 51-56 | 50 |
| 5911000060 | yes | - | - | - | 54-60 | 50 |
| 5911000068 | yes | - | - | - | 60-68 | 50 |
| 5911000072 | yes | - | - | - | 64-72 | 50 |



Further sizes and materials are available on enquiry.

hose clips and pipe clips


Clamping jaws „S 9“

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 6_09100008 | 1 | - | - | - | 8 | 9 | 100 |
| 6_09100009 | 1 | - | - | - | 9 | 9 | 100 |
| 6_09100010 | 1 | - | - | - | 10 | 9 | 100 |
| 6_09100011 | 1 | - | - | - | 11 | 9 | 100 |
| 6_09100012 | 1 | - | - | - | 12 | 9 | 100 |
| 6_09100013 | 1 | - | - | - | 13 | 9 | 100 |
| 6_09100014 | 1 | - | - | - | 14 | 9 | 100 |
| 6_09100015 | 1 | - | - | - | 15 | 9 | 100 |
| 6_09100016 | 1 | - | - | - | 16 | 9 | 100 |
| 6_09100017 | 1 | - | - | - | 17 | 9 | 100 |
| 6_09100018 | 1 | - | - | - | 18 | 9 | 100 |
| 6_09100019 | 1 | - | - | - | 19 | 9 | 100 |
| 6_09100020 | 1 | - | - | - | 20 | 9 | 100 |
| 6_09100021 | 1 | - | - | - | 21 | 9 | 100 |



Order example:

Art.no. 6 1/2/4/5 12 1 12



Further sizes and materials are available on enquiry.

Hose clips and pipe clips

Clamping jaws „S 12“

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|---------|----------------|--------------------|
| | W1 | W2 | W4 | W5 | | | |
| 6_12100012 | 1 | - | - | - | 12 | 12 | 100 |
| 6_12100013 | 1 | - | - | - | 13 | 12 | 100 |
| 6_12100014 | 1 | - | - | - | 14 | 12 | 100 |
| 6_12100015 | 1 | - | - | - | 15 | 12 | 100 |
| 6_12100016 | 1 | - | - | - | 16 | 12 | 100 |
| 6_12100017 | 1 | - | - | - | 17 | 12 | 100 |
| 6_12100018 | 1 | - | - | - | 18 | 12 | 100 |
| 6_12100019 | 1 | - | - | - | 19 | 12 | 100 |
| 6_12100020 | 1 | - | - | - | 20 | 12 | 100 |
| 6_12100021 | 1 | - | - | - | 21 | 12 | 100 |
| 6_12100022 | 1 | - | - | - | 22 | 12 | 100 |
| 6_12100023 | 1 | - | - | - | 23 | 12 | 100 |
| 6_12100024 | 1 | - | - | - | 24 | 12 | 100 |
| 6_12100025 | 1 | - | - | - | 25 | 12 | 100 |
| 6_12100026 | 1 | - | - | - | 26 | 12 | 100 |
| 6_12100027 | 1 | - | - | - | 27 | 12 | 100 |
| 6_12100028 | 1 | - | - | - | 28 | 12 | 100 |
| 6_12100029 | 1 | - | - | - | 29 | 12 | 100 |
| 6_12100030 | 1 | - | - | - | 30 | 12 | 100 |
| 6_12100031 | 1 | - | - | - | 31 | 12 | 100 |
| 6_12100032 | 1 | - | - | - | 32 | 12 | 100 |
| 6_12100033 | 1 | - | - | - | 33 | 12 | 100 |
| 6_12100034 | 1 | - | - | - | 34 | 12 | 100 |
| 6_12100035 | 1 | - | - | - | 35 | 12 | 100 |
| 6_12100036 | 1 | - | - | - | 36 | 12 | 100 |
| 6_12100037 | 1 | - | - | - | 37 | 12 | 100 |
| 6_12100038 | 1 | - | - | - | 38 | 12 | 100 |
| 6_12100039 | 1 | - | - | - | 39 | 12 | 100 |
| 6_12100040 | 1 | - | - | - | 40 | 12 | 100 |
| 6_12100041 | 1 | - | - | - | 41 | 12 | 100 |
| 6_12100042 | 1 | - | - | - | 42 | 12 | 100 |
| 6_12100043 | 1 | - | - | - | 43 | 12 | 100 |
| 6_12100044 | 1 | - | - | - | 44 | 12 | 100 |
| 6_12100045 | 1 | - | - | - | 45 | 12 | 100 |



Further sizes and materials are available on enquiry.

hose clips and pipe clips


Clamping jaws „S 15“

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 6_15100021 | 1 | - | - | - | 21 | 15 | 100 |
| 6_15100022 | 1 | - | - | - | 22 | 15 | 100 |
| 6_15100023 | 1 | - | - | - | 23 | 15 | 100 |
| 6_15100024 | 1 | - | - | - | 24 | 15 | 100 |
| 6_15100025 | 1 | - | - | - | 25 | 15 | 100 |
| 6_15100026 | 1 | - | - | - | 26 | 15 | 100 |
| 6_15100027 | 1 | - | - | - | 27 | 15 | 100 |
| 6_15100028 | 1 | - | - | - | 28 | 15 | 100 |
| 6_15100029 | 1 | - | - | - | 29 | 15 | 100 |
| 6_15100030 | 1 | - | - | - | 30 | 15 | 100 |
| 6_15100031 | 1 | - | - | - | 31 | 15 | 100 |
| 6_15100032 | 1 | - | - | - | 32 | 15 | 100 |
| 6_15100033 | 1 | - | - | - | 33 | 15 | 100 |
| 6_15100034 | 1 | - | - | - | 34 | 15 | 100 |
| 6_15100035 | 1 | - | - | - | 35 | 15 | 100 |
| 6_15100036 | 1 | - | - | - | 36 | 15 | 100 |
| 6_15100037 | 1 | - | - | - | 37 | 15 | 100 |
| 6_15100038 | 1 | - | - | - | 38 | 15 | 100 |
| 6_15100039 | 1 | - | - | - | 39 | 15 | 100 |
| 6_15100040 | 1 | - | - | - | 40 | 15 | 100 |
| 6_15100041 | 1 | - | - | - | 41 | 15 | 100 |
| 6_15100042 | 1 | - | - | - | 42 | 15 | 100 |
| 6_15100043 | 1 | - | - | - | 43 | 15 | 100 |
| 6_15100044 | 1 | - | - | - | 44 | 15 | 100 |
| 6_15100045 | 1 | - | - | - | 45 | 15 | 100 |
| 6_15100046 | 1 | - | - | - | 46 | 15 | 100 |
| 6_15100047 | 1 | - | - | - | 47 | 15 | 100 |
| 6_15100048 | 1 | - | - | - | 48 | 15 | 100 |
| 6_15100049 | 1 | - | - | - | 49 | 15 | 100 |
| 6_15100050 | 1 | - | - | - | 50 | 15 | 100 |
| 6_15100051 | 1 | - | - | - | 51 | 15 | 100 |
| 6_15100052 | 1 | - | - | - | 52 | 15 | 100 |
| 6_15100053 | 1 | - | - | - | 53 | 15 | 100 |
| 6_15100054 | 1 | - | - | - | 54 | 15 | 100 |
| 6_15100055 | 1 | - | - | - | 55 | 15 | 100 |
| 6_15100056 | 1 | - | - | - | 56 | 15 | 100 |



Order example:

Art.no. 6 1/2/4/5 12 1 12



Hose clips and pipe clips

„1-ear clamp“

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 7_10000709 | - | - | 4 | - | 7-9 | 6 | 100 |
| 7_10000810 | 1 | - | 4 | - | 8-10 | 6 | 100 |
| 7_10000911 | 1 | - | 4 | - | 9-11 | 6,5 | 100 |
| 7_10001012 | 1 | - | 4 | - | 10-12 | 6,5 | 100 |
| 7_10001113 | 1 | - | 4 | - | 11-13 | 6,5 | 100 |
| 7_10001214 | 1 | - | 4 | - | 12-14 | 7 | 100 |
| 7_10001416 | 1 | - | 4 | - | 14-16 | 7 | 100 |
| 7_10001618 | 1 | - | 4 | - | 16-18 | 7 | 100 |




„1-ear clamp“

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|-----------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 7_10075085 | 1 | - | 4 | - | 7,5-8,5 | 6 | 100 |
| 7_10082095 | 1 | - | 4 | - | 8,2-9,5 | 6 | 100 |
| 7_10090105 | 1 | - | 4 | - | 9,0-10,5 | 6,5 | 100 |
| 7_10100115 | 1 | - | 4 | - | 10,0-11,5 | 6,5 | 100 |
| 7_10105125 | 1 | - | 4 | - | 10,5-12,5 | 6,5 | 100 |
| 7_10115133 | 1 | - | 4 | - | 11,5-13,5 | 7 | 100 |
| 7_10130153 | 1 | - | 4 | - | 13,0-15,3 | 7 | 100 |
| 7_10150173 | 1 | - | 4 | - | 15,0-17,3 | 7 | 100 |
| 7_10130153 | - | - | 4 | - | 16,0-18,3 | 7,5 | 100 |
| 7_10150173 | - | - | 4 | - | 17,0-19,3 | 7,5 | 100 |



Order example:

Art.no. 7 1/2/4/5 1000 05-07



By greater dimensions, we recommend our endless band (EB) with loose headers or our fastening clamp with folding housing (VF).

hose clips and pipe clips


„2-ear clamp“

| Art. no. | Material | | | | Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|---------|-------------|-----------------|
| | W1 | W2 | W4 | W5 | | | |
| 7_00000507 | 1 | - | 4 | - | 5-7 | 6 | 100 |
| 7_00000709 | 1 | - | 4 | - | 7-9 | 6 | 100 |
| 7_00000911 | 1 | - | 4 | - | 9-11 | 6,5 | 100 |
| 7_00001113 | 1 | - | 4 | - | 11-13 | 6,5 | 100 |
| 7_00001315 | 1 | - | 4 | - | 13-15 | 7 | 100 |
| 7_00001417 | 1 | - | 4 | - | 14-17 | 7 | 100 |
| 7_00001518 | 1 | - | 4 | - | 15-18 | 7,5 | 100 |
| 7_00001720 | 1 | - | 4 | - | 17-20 | 7,5 | 100 |
| 7_00001821 | 1 | - | 4 | - | 18-21 | 8 | 100 |
| 7_00002023 | 1 | - | 4 | - | 20-23 | 8 | 100 |
| 7_00002225 | 1 | - | 4 | - | 22-25 | 8,5 | 100 |
| 7_00002327 | 1 | - | - | - | 23-27 | 8,5 | 100 |
| 7_00002528 | 1 | - | - | - | 25-28 | 9 | 100 |
| 7_00002831 | 1 | - | - | - | 28-31 | 9 | 100 |
| 7_00003134 | 1 | - | - | - | 31-34 | 9,5 | 100 |
| 7_00003437 | 1 | - | - | - | 34-37 | 9,5 | 100 |
| 7_00003740 | 1 | - | - | - | 37-40 | 10 | 100 |
| 7_00004043 | 1 | - | - | - | 40-43 | 10 | 100 |
| 7_00004346 | 1 | - | - | - | 43-46 | 10,5 | 100 |



Order example:

Art.no. 7 1/2/4/5 0000 05-07



By greater dimensions, we recommend our endless band (EB) with loose headers or our fastening clamp with folding housing (VF).


Hose clips and pipe clips

Clamp retainers „RS “ (without elastomer profile)
„RSGU “ (with elastomer profile)

| Art. no. | Material | | | | Pipe Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|-----------------|----------------|--------------------|
| | W1 | W2 | W4 | W5 | | | |
| 8_12__0005 | 1 | - | 4 | 5 | 5 | 12 | 100 |
| 8_12__0006 | 1 | - | 4 | 5 | 6 | 12 | 100 |
| 8_12__0007 | 1 | - | 4 | 5 | 7 | 12 | 100 |
| 8_12__0008 | 1 | - | 4 | 5 | 8 | 12 | 100 |
| 8_12__0009 | 1 | - | 4 | 5 | 9 | 12 | 100 |
| 8_12__0010 | 1 | - | 4 | 5 | 10 | 12 | 100 |
| 8_12__0011 | 1 | - | 4 | 5 | 11 | 12 | 100 |
| 8_12__0012 | 1 | - | 4 | 5 | 12 | 12 | 100 |
| 8_12__0013 | 1 | - | 4 | 5 | 13 | 12 | 100 |
| 8_12__0014 | 1 | - | 4 | 5 | 14 | 12 | 100 |
| 8_12__0015 | 1 | - | 4 | 5 | 15 | 12 | 100 |
| 8_12__0016 | 1 | - | 4 | 5 | 16 | 12 | 100 |
| 8_12__0017 | 1 | - | 4 | 5 | 17 | 12 | 100 |
| 8_12__0018 | 1 | - | 4 | 5 | 18 | 12 | 100 |
| 8_12__0019 | 1 | - | 4 | 5 | 19 | 12 | 100 |
| 8_12__0020 | 1 | - | 4 | 5 | 20 | 12 | 100 |
| 8_12__0021 | 1 | - | 4 | 5 | 21 | 12 | 100 |
| 8_12__0022 | 1 | - | 4 | 5 | 22 | 12 | 100 |
| 8_12__0023 | 1 | - | 4 | 5 | 23 | 12 | 100 |
| 8_12__0024 | 1 | - | 4 | 5 | 24 | 12 | 100 |
| 8_12__0025 | 1 | - | 4 | 5 | 25 | 12 | 100 |
| 8_12__0026 | 1 | - | 4 | 5 | 26 | 12 | 100 |
| 8_12__0027 | 1 | - | 4 | 5 | 27 | 12 | 100 |
| 8_12__0028 | 1 | - | 4 | 5 | 28 | 12 | 100 |
| 8_12__0029 | 1 | - | 4 | 5 | 29 | 12 | 100 |
| 8_12__0030 | 1 | - | 4 | 5 | 30 | 12 | 100 |




Please insert the art. no. on the enquiry / order according to the form and material of the product.



Order example:

Art.no. 8 1/2/4/5 12 A100 05



Further sizes and materials are available on enquiry.


hose clips and pipe clips

Clamp retainers „RS “ (without elastomer profile)
„RSGU “ (with elastomer profile)

| Art. no. | Material | | | | Pipe Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|-----------------|----------------|--------------------|
| | W1 | W2 | W4 | W5 | | | |
| 8_15__0005 | 1 | - | 4 | 5 | 5 | 15 | 100 |
| 8_15__0006 | 1 | - | 4 | 5 | 6 | 15 | 100 |
| 8_15__0007 | 1 | - | 4 | 5 | 7 | 15 | 100 |
| 8_15__0008 | 1 | - | 4 | 5 | 8 | 15 | 100 |
| 8_15__0009 | 1 | - | 4 | 5 | 9 | 15 | 100 |
| 8_15__0010 | 1 | - | 4 | 5 | 10 | 15 | 100 |
| 8_15__0011 | 1 | - | 4 | 5 | 11 | 15 | 100 |
| 8_15__0012 | 1 | - | 4 | 5 | 12 | 15 | 100 |
| 8_15__0013 | 1 | - | 4 | 5 | 13 | 15 | 100 |
| 8_15__0014 | 1 | - | 4 | 5 | 14 | 15 | 100 |
| 8_15__0015 | 1 | - | 4 | 5 | 15 | 15 | 100 |
| 8_15__0016 | 1 | - | 4 | 5 | 16 | 15 | 100 |
| 8_15__0017 | 1 | - | 4 | 5 | 17 | 15 | 100 |
| 8_15__0018 | 1 | - | 4 | 5 | 18 | 15 | 100 |
| 8_15__0019 | 1 | - | 4 | 5 | 19 | 15 | 100 |
| 8_15__0020 | 1 | - | 4 | 5 | 20 | 15 | 100 |
| 8_15__0021 | 1 | - | 4 | 5 | 21 | 15 | 100 |
| 8_15__0022 | 1 | - | 4 | 5 | 22 | 15 | 100 |
| 8_15__0023 | 1 | - | 4 | 5 | 23 | 15 | 100 |
| 8_15__0024 | 1 | - | 4 | 5 | 24 | 15 | 100 |
| 8_15__0025 | 1 | - | 4 | 5 | 25 | 15 | 100 |
| 8_15__0026 | 1 | - | 4 | 5 | 26 | 15 | 100 |
| 8_15__0027 | 1 | - | 4 | 5 | 27 | 15 | 100 |
| 8_15__0028 | 1 | - | 4 | 5 | 28 | 15 | 100 |
| 8_15__0029 | 1 | - | 4 | 5 | 29 | 15 | 100 |
| 8_15__0030 | 1 | - | 4 | 5 | 30 | 15 | 100 |
| 8_15__0031 | 1 | - | 4 | 5 | 31 | 15 | 100 |
| 8_15__0032 | 1 | - | 4 | 5 | 32 | 15 | 100 |
| 8_15__0033 | 1 | - | 4 | 5 | 33 | 15 | 100 |
| 8_15__0034 | 1 | - | 4 | 5 | 34 | 15 | 100 |
| 8_15__0035 | 1 | - | 4 | 5 | 35 | 15 | 100 |
| 8_15__0036 | 1 | - | 4 | 5 | 36 | 15 | 100 |
| 8_15__0037 | 1 | - | 4 | 5 | 37 | 15 | 100 |
| 8_15__0038 | 1 | - | 4 | 5 | 38 | 15 | 100 |
| 8_15__0039 | 1 | - | 4 | 5 | 39 | 15 | 100 |
| 8_15__0040 | 1 | - | 4 | 5 | 40 | 15 | 100 |



Please insert the art. no. on the enquiry / order according to the form and material of the product.



Further sizes and materials are available on enquiry.


Hose clips and pipe clips

Clamp retainers „RS “ (without elastomer profile)
 „RSGU “ (with elastomer profile)

| Art. no. | Material | | | | Pipe Ø in mm | Width in mm | Package content |
|------------|----------|----|----|----|-----------------|----------------|--------------------|
| | W1 | W2 | W4 | W5 | | | |
| 8_20__0008 | 1 | - | 4 | 5 | 8 | 20 | 100 |
| 8_20__0009 | 1 | - | 4 | 5 | 9 | 20 | 100 |
| 8_20__0010 | 1 | - | 4 | 5 | 10 | 20 | 100 |
| 8_20__0011 | 1 | - | 4 | 5 | 11 | 20 | 100 |
| 8_20__0012 | 1 | - | 4 | 5 | 12 | 20 | 100 |
| 8_20__0013 | 1 | - | 4 | 5 | 13 | 20 | 100 |
| 8_20__0014 | 1 | - | 4 | 5 | 14 | 20 | 100 |
| 8_20__0015 | 1 | - | 4 | 5 | 15 | 20 | 100 |
| 8_20__0016 | 1 | - | 4 | 5 | 16 | 20 | 100 |
| 8_20__0017 | 1 | - | 4 | 5 | 17 | 20 | 100 |
| 8_20__0018 | 1 | - | 4 | 5 | 18 | 20 | 100 |
| 8_20__0019 | 1 | - | 4 | 5 | 19 | 20 | 100 |
| 8_20__0020 | 1 | - | 4 | 5 | 20 | 20 | 100 |
| 8_20__0021 | 1 | - | 4 | 5 | 21 | 20 | 100 |
| 8_20__0022 | 1 | - | 4 | 5 | 22 | 20 | 100 |
| 8_20__0023 | 1 | - | 4 | 5 | 23 | 20 | 100 |
| 8_20__0024 | 1 | - | 4 | 5 | 24 | 20 | 100 |
| 8_20__0025 | 1 | - | 4 | 5 | 25 | 20 | 100 |
| 8_20__0026 | 1 | - | 4 | 5 | 26 | 20 | 100 |
| 8_20__0027 | 1 | - | 4 | 5 | 27 | 20 | 100 |
| 8_20__0028 | 1 | - | 4 | 5 | 28 | 20 | 100 |
| 8_20__0029 | 1 | - | 4 | 5 | 29 | 20 | 100 |
| 8_20__0030 | 1 | - | 4 | 5 | 30 | 20 | 100 |
| 8_20__0031 | 1 | - | 4 | 5 | 31 | 20 | 100 |
| 8_20__0032 | 1 | - | 4 | 5 | 32 | 20 | 100 |
| 8_20__0033 | 1 | - | 4 | 5 | 33 | 20 | 100 |
| 8_20__0034 | 1 | - | 4 | 5 | 34 | 20 | 100 |
| 8_20__0035 | 1 | - | 4 | 5 | 35 | 20 | 100 |
| 8_20__0036 | 1 | - | 4 | 5 | 36 | 20 | 100 |
| 8_20__0037 | 1 | - | 4 | 5 | 37 | 20 | 100 |
| 8_20__0038 | 1 | - | 4 | 5 | 38 | 20 | 100 |
| 8_20__0039 | 1 | - | 4 | 5 | 39 | 20 | 100 |
| 8_20__0040 | 1 | - | 4 | 5 | 40 | 20 | 100 |




Please insert the art. no. on the enquiry / order according to the form and material of the product.



Order example:

Art.no. 8 1/2/4/5 12 A100 05



hose clips and pipe clips



Management
System
ISO 14001:2015
www.tuv.com
ID: 9108624624

Phone:
Fax:
Email:
Homepage:

+49 (0) 231 / 725 790 -0
+49 (0) 231 / 725 790 -10
info@hokon-verschluss technik.de
www.hokon-verschluss technik.de