





## Piano hinges



## Piano hinges

Ordering example:

Art.no. 6702.00/30



### Piano hinges, rolled

Width: 15 mm

Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	D Pin Ø	E
6702.00	Steel	Steel	2040	15	0,7	1,6	15

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.

Width: 20 mm

Art. no.	Material		Dimensions in mm							
	Rod	Pin	A	B	C	DØ	E	F	G	ØS
6711.00	Steel	Steel	2040	20	0,8	2	15	11,2	60	2,8
6712.30	Stainless steel	Stainless steel	2040	20	0,8	2	15	11,2	60	2,8
6716.70	Aluminium	Steel	2000	20	0,6	2,4	15	-	-	-
6717.00	Steel	Steel	2040	20	0,8	2	15	-	-	-
6718.30	Stainless steel	Stainless steel	2040	20	0,8	2	15	-	-	-


Width: 25 mm

Art. no.	Material		Dimensions in mm								
	Rod	Pin	A	B	C	DØ	E	F	G	ØS	
6703.70	Aluminium	Steel	1000	25	0,8	2	15	-	-	-	
6706.30	Stainless steel	Stainless steel	1020	25	0,8	2	15	-	-	-	
6707.30	Stainless steel Seawater resistant	Stainless steel	1980	25	0,8	2	15	-	-	-	
6719.30	Stainless steel	Stainless steel	1800	25	1	2	15	-	-	-	
6720.04	Steel	Brass	1800	25	1,2	3	30	-	-	-	
6721.00	Steel	Steel	2040	25	0,8	2	15	14,2	60	2,8	
6726.00	Steel	Steel	2040	25	0,8	2	15	-	-	-	
6728.30	Stainless steel	Stainless steel	2040	25	0,8	2	15	-	-	-	
6729.30	Stainless steel	Stainless steel	2040	25	1	2	15	-	-	-	
6730.30	Stainless steel	Stainless steel	2040	25	0,8	2	15	14,2	60	3,6	

Zinc plated steel - the hinge is prepared from already zinc plated steel.

The edge cuts are, thus, not zinc plated. Hinges can be delivered in other lengths, according to enquiry.

Other perforations/perforation distances are possible, according to enquiry



## Piano hinges

Width: 30 mm

Art. no.	Material		Dimensions in mm							
	Rod	Pin	A	B	C	DØ	E	F	G	ØS
6708.70	Aluminium	Aluminium	1980	30	1	2	15	-	-	-
6709.30	Stainless steel	Stainless steel	1020	30	0,8	2	15	-	-	-
6710.30	Stainless steel Seawater resistant	Stainless steel	1020	30	1	2	15	-	-	-
6731.00	Steel	Steel	2040	30	0,8	2	15	16,8	60	3,9
6733.00	Steel	Steel	2040	30	1	2	15	16,8	60	3,9
6735.00	Steel	Steel	2040	30	0,8	2	15	-	-	-
6736.30	Stainless steel	Stainless steel	2040	30	0,8	2	15	-	-	-
6738.30	Stainless steel	Stainless steel	2040	30	1	2	15	16,8	60	3,9
6740.30	Stainless steel	Stainless steel	1800	30	1	2	15	-	-	-
6741.00	Steel	Steel	2040	30	1	2	15	-	-	-
6742.30	Stainless steel	Stainless steel	2040	30	1	2	15	-	-	-
6743.30	Seawater resistant Stainless steel	Stainless steel	2040	30	1	2	15	-	-	-
6745.30	Stainless steel	Stainless steel	1995	30	1,5	4	30	-	-	-
6746.30	Stainless steel	Stainless steel	1995	30	2	6	25	-	-	-
6747.00	Steel	Steel	2000	30	2	6	30	-	-	-

Hinges can be delivered in other lengths, according to enquiry.

Other perforations/perforation distances are possible, according to enquiry.

Width: 32 mm

Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	D Pin Ø	E
6749.30	Stainless steel	Stainless steel	1800	32	1,2	3	30
6750.00	Steel	Steel	1950	32	1,5	3	12,5
6750.30	Stainless steel	Stainless steel	1950	32	1,5	3	12,5

Hinges can be delivered in other lengths, according to enquiry.


Completion may be perforated, according to enquiry.

Width: 35 mm

Art. no.	Material		Dimensions in mm							
	Rod	Pin	A	B	C	D Pin Ø	E	F	G	ØS
6753.00	Steel	Steel	2040	35	1	2	15	19,5	60	4,5
6754.00	Steel	Steel	2040	35	1	2	15	-	-	-
6755.70	Aluminium	Aluminium	1995	35	1	3	30	-	-	-

Hinges can be delivered in other lengths, according to enquiry.


Other perforations/perforation distances are possible, according to enquiry.



## Piano hinges

Width: 40 mm

Art. no.	Material		Dimensions in mm							
	Rod	Pin	A	B	C	DØ	E	F	G	ØS
6757.70	Aluminium	Aluminium	1000	40	1,2	3	30	-	-	-
6758.04	Zinc plated steel	Brass	1800	40	1,2	3	30	-	-	-
6759.30	Stainless steel	Stainless steel	1800	40	1,2	3	30	-	-	-
6760.35	Stainless steel	Stainless steel	2040	40	1,2	3	30	22,7	60	4,2
6763.00	Steel	Steel	2040	40	0,8	2	15	-	-	-
6764.30	Stainless steel	Stainless steel	2040	40	0,8	2	15	-	-	-
6765.00	Steel	Steel	2040	40	1,2	3	30	22,7	60	3,2
6767.00	Steel	Steel	2040	40	1,2	3	30	-	-	-
6769.70	Aluminium	Aluminium	2000	40	1,2	3	20	-	-	-
6770.30	Stainless steel	Stainless steel	1020	40	1,2	3	30	-	-	-
6771.30	Stainless steel	Stainless steel	2040	40	1,2	3	30	-	-	-
6773.00	Steel	Steel	2040	40	1,5	4	15	-	-	-
6774.30	Stainless steel	Stainless steel	2040	40	1,5	4	15	-	-	-
6775.30	Stainless steel Seawater resistant	Stainless steel	2040	40	1,5	4	15	-	-	-
6776.70	Aluminium	Aluminium	2040	40	1,5	4	15	-	-	-
6779.30	Stainless steel	Stainless steel	2040	40	1,5	4	15	22,7	60	4
6756.00	Steel	Steel	1950	40	1,5	3	12,5	-	-	-
6756.30	Stainless steel	Stainless steel	1950	40	1,5	3	12,5	-	-	-
6799.30	Stainless steel Seawater resistant	Stainless steel	1020	40	1,5	4	15	-	-	-



Zinc plated steel - the hinge is prepared from already zinc plated steel.  
The edge cuts are, thus, not zinc plated.  
Hinges can be delivered in other lengths, according to enquiry.

Width: 44 mm

Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	DØ	E
6777.30	Stainless steel	Stainless steel	2040	44	2	6	30

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.

## Piano hinges

Width: 50 mm


Art. no.	Material		Dimensions in mm							
	Rod	Pin	A	B	C	DØ	E	F	G	ØS
6781.00	Steel	Steel	2040	50	1,2	3	30	-	-	-
6783.00	Steel	Steel	2040	50	1,2	3	30	28	60	4
6784.70	Aluminium	Aluminium	2000	50	1,2	3	20	-	-	-
6785.30	Stainless steel	Stainless steel	2040	50	1,2	3	30	-	-	-
6786.70	Aluminium	Aluminium	2000	50	1,5	4	15	-	-	-
6787.30	Stainless steel	Stainless steel	2000	50	2	4	25	-	-	-
6788.00	Steel	Steel	2040	50	2	6	30	-	-	-
6790.04	Zinc plated steel	Brass	1800	50	1,2	3	30	-	-	-
6791.30	Stainless steel	Stainless steel	1800	50	1,2	3	30	-	-	-
6792.30	Stainless steel	Stainless steel	2040	50	1,2	3	30	28	60	4
6793.30	Stainless steel	Stainless steel	1800	50	1,5	4	15	-	-	-
6794.30	Stainless steel Seawater resistant	Stainless steel	2040	50	1,2	3	30	-	-	-
6798.00	Steel	Steel	1950	50	1,5	3	12,5	-	-	-
6798.30	Stainless steel	Stainless steel	1950	50	1,5	3	12,5	-	-	-
6809.70	Aluminium	Aluminium	1000	50	1,5	4	15	-	-	-
6822.30	Stainless steel	Stainless steel	1020	50	1,2	3	30	-	-	-
6823.30	Stainless steel Seawater resistant	Stainless steel	1020	50	1,2	3	20	-	-	-

Zinc plated steel - the hinge is prepared from already zinc plated steel.  
The edge cuts are, thus, not zinc plated.  
Hinges can be delivered in other lengths, according to enquiry.  
Other perforations/perforation distances are possible, according to enquiry.

Width: 57 mm

Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	DØ	E
6795.04	Galvanized steel	Brass	2160	57	1,5	4	15
6796.30	Stainless steel	Stainless steel	2160	57	1,5	4	15
6797.04	Galvanized steel	Brass	2160	57	2	6	30

Galvanized Steel - the hinge is prepared from already zinc plated steel.  
The edge cuts are, thus, not zinc plated.  
Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.



## Piano hinges

Width: 60 mm

Art. no.	Material		dimensions in mm							
	Rod	Pin	A	B	C	DØ	E	F	G	ØS
6704.30	Stainless steel	Stainless steel	1020	60	2	6	30	-	-	-
6705.30	Stainless steel Seawater resistant	Stainless steel	1020	60	2	6	30	-	-	-
6801.00	Steel	Steel	2000	60	1,5	8	40	-	-	-
6802.00	Steel	Steel	2000	60	1,5	5	40	-	-	-
6803.00	Steel	Steel	2040	60	2	6	30	-	-	-
6804.30	Stainless steel	Stainless steel	2040	60	2	6	30	-	-	-
6805.30	Seawater resistant Stainless steel	Stainless steel	2040	60	2	6	30	-	-	-
6806.70	Aluminium	Aluminium	2000	60	2	6	30	-	-	-
6807.30	Stainless steel	Stainless steel	2040	60	2	6	30	35	60	4

Hinges can be delivered in other lengths, according to enquiry.  
Other perforations/perforation distances are possible, according to enquiry.

Width: 63 mm

Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	DØ	E
6808.30	Stainless steel	Stainless steel	1800	63	1,5	4	15

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.

Width: 70 mm


Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	DØ	E
6810.30	Stainless steel	Stainless steel	1800	70	1,5	4	15
6811.00	Steel	Steel	2040	70	2	6	30
6812.30	Stainless steel	Stainless steel	2040	70	2	6	30

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.

Width: 76 mm

Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	DØ	E
6817.04	galvanized Steel	Brass	2160	76	1,5	4	15
6818.30	Stainless steel	Stainless steel	2160	76	1,5	4	15

Galvanized steel - the hinge is prepared from already zinc plated steel.  
The edge cuts are, thus, not zinc plated.  
Hinges can be delivered in other lengths, according to enquiry.  
Other perforations/perforation distances are possible, according to enquiry.



## Piano hinges

Width: 80 mm

Art. no.	Material		Dimensions in mm							
	Rod	Pin	A	B	C	DØ	E	F	G	S
6813.00	Steel	Steel	2000	80	2	7,6	40	-	-	-
6814.30	Stainless steel	Stainless steel	1000	80	3	6	40	-	-	-
6815.00	Steel	Steel	2000	80	3	6	40	-	-	-
6816.30	Stainless steel	Stainless steel	2000	80	3	6	40	-	-	-
6819.00	Steel	Steel	1950	80	1,5	3	12,5	-	-	-
6819.30	Stainless steel	Stainless steel	1950	80	1,5	3	12,5	-	-	-
6820.70	Aluminium	Aluminium	2000	80	3	6	40	-	-	-
6828.30	Stainless steel	Stainless steel	2000	80	3	6	40	35	60	5,2
6829.30	Stainless steel Seawater resistant	Stainless steel	1980	80	2	6	30	-	-	-

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.

Width: 100 mm

Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	DØ	E
6830.00	Steel	Steel	2000	100	3	10	40
6830.30	Stainless steel <i>on enquiry</i>	Stainless steel	2000	100	3	10	40
6836.00	Steel	Steel	1000	100	4	10	40
6836.70	Aluminium	Steel	1000	100	4	10	40
6838.30	Stainless steel	Stainless steel	2000	100	3	6	40

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.

Width: 120 mm


Art. no.	Material		Dimensions in mm					
	Rod	Pin	A	B	C	D Pin Ø	E	
6831.30	Stainless steel	Stainless steel	2100	120	2	6	30	
6840.00	Steel	Steel	1000	120	5	10	40	

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.

Width: 127 mm

Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	D	E
6833.04	zinc plated steel	brass	2160	127	3	6	40

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry. The hinge is prepared from already zinc plated steel.  
The edge cuts are, thus, not zinc plated.




## Piano hinges

### Piano hinges, rolled, angulated

#### 1 angulated leaf

Art. no.	Material		Dimensions in mm			
	Rod	Pin	A	B	C	D Pin Ø
6832.04	Zinc plated	Stainless steel	1000	31,5	1	2
6834.04	Zinc plated	Stainless steel	2000	31,5	1	2
6835.30	Stainless steel	Stainless steel	2000	31,5	1	2


Hinges can be delivered in other lengths, according to enquiry.  
Other perforations/perforation distances are possible, according to enquiry.



#### 1 angulated leaf

Art. no.	Material		Dimensions in mm			
	Rod	Pin	A	B	C	D Pin Ø
6837.04	Zinc plated	Stainless steel	2000	44	1,5	3
6837.30	Stainless steel	Stainless steel	2000	44	1,5	3
6839.30	Stainless steel	Stainless steel	1600	44	1,5	3

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.






## Piano hinges

### 2 angulated leaf

Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	D Pin Ø	E
6844.04	Zinc plated	Stainless steel	2000	46	1,5	3	25
6846.30	Stainless steel	Stainless steel	2000	46	1,5	3	25

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.



### Plastic hinges in rolls of 15.25 m


Technical information:

Temperature: - 40° C up to + 80°C.

Fixing with rivets, bolts, nails, bars.

Chemical resistance: oil, seawater, solvents and most chemical substances.

Art. no.	Colour	Material	Dimensions in mm		
			A	B	C
6521.01	White	Polypropylene	15250	28,6	3,2
6521.02	Gray	Polypropylene	15250	28,6	3,2
6521.03	Black	Polypropylene	15250	28,6	3,2
6522.01	White	Polypropylene	15250	38,1	3,2
6522.02	Gray	Polypropylene	15250	38,1	3,2
6522.03	Black	Polypropylene	15250	38,1	3,2
6523.01	White	Polypropylene	15250	50,8	3,2
6523.02	Gray	Polypropylene	15250	50,8	3,2
6523.03	Black	Polypropylene	15250	50,8	3,2
6524.01	White	Polypropylene	15250	76,2	3,2
6524.02	Gray	Polypropylene	15250	76,2	3,2
6524.03	Black	Polypropylene	15250	76,2	3,2




## Piano hinges

### Aluminium profile hinge

Width 50


Art. no.	Material		Dimensions in mm				
	Rod	Pin	A	B	C	D Pin Ø	E
6848.70	Aluminium 6060 T5	Stainless steel	2000	50	3	5,2	35,5

Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.



### Aluminium profile hinge comparable Military Standard (MS)

Art.Nr.	Werkstoff		Abmessungen in mm				
	Rod	Pin	A	B	C	D Pin Ø	E
	Alu 6082 T5						
MS-6841.71	Anodized colorless	Stainless steel	915	31,75	1,3	2,2	12,7
MS-6841.72	Anodized blue	Stainless steel	915	31,75	1,3	2,2	12,7
MS-6841.73	Anodized red	Stainless steel	915	31,75	1,3	2,2	12,7
MS-6841.74	Anodized bronze	Stainless steel	915	31,75	1,3	2,2	12,7
MS-6841.75	Anodized gold	Stainless steel	915	31,75	1,3	2,2	12,7
MS-6842.70	Raw	Stainless steel	1830	31,75	1,3	2,2	12,7
MS-6844.71	Anodized colorless	Stainless steel	915	38,1	1,3	2,2	12,7
MS-6846.70	Raw	Stainless steel	1830	38,1	1,3	2,2	12,7
MS-6845.70	Raw	Stainless steel	1830	44,45	1,3	2,2	12,7
MS-6847.71	Anodized colorless	Stainless steel	915	44,45	1,3	2,2	12,7
MS-6847.72	Anodized blue	Stainless steel	915	44,45	1,3	2,2	12,7
MS-6847.73	Anodized red	Stainless steel	915	44,45	1,3	2,2	12,7
MS-6847.74	Anodized bronze	Stainless steel	915	44,45	1,3	2,2	12,7
MS-6847.75	Anodized gold	Stainless steel	915	44,45	1,3	2,2	12,7
MS-6843.71	Anodized colorless	Stainless steel	915	63,5	1,3	2,2	12,7
MS-6843.72	Anodized blue	Stainless steel	915	63,5	1,3	2,2	12,7
MS-6843.73	Anodized red	Stainless steel	915	63,5	1,3	2,2	12,7
MS-6843.74	Anodized bronze	Stainless steel	915	63,5	1,3	2,2	12,7
MS-6843.75	Anodized gold	Stainless steel	915	63,5	1,3	2,2	12,7
MS-6849.70	Raw	Stainless steel	1830	63,5	1,3	2,2	12,7





Hinges can be delivered in other lengths, according to enquiry.  
Completion may be perforated, according to enquiry.

## Piano hinges

### Aluminium profile hinge with double articulation

Opening angle of 180° without sealing (ordered separately)

Art. no.	Material		Dimensions in mm		
	Rod	Pin	A	B	D Pin Ø
6850.70	Aluminium 6060 T5	Stainless steel	2000	65	5
6851.70	Aluminium 6060 T5	Stainless steel	2500	15	5
6852.70	Aluminium 6060 T5	Stainless steel	3000	115	5



### Sealing

for hinge with double articulation

Art. no.	Material	Dimensions in mm
		A
6853.D	Rubber, Black	2000
6854.D	Rubber, Black	2500
6855.D	Rubber, Black	3000

## Piano hinges

---

---



Phone:  
Fax:  
Email:  
Homepage:

+49 (0) 231 / 725 790 -0  
+49 (0) 231 / 725 790 -10  
[info@hokon-verschluss technik.de](mailto:info@hokon-verschluss technik.de)  
[www.hokon-verschluss technik.de](http://www.hokon-verschluss technik.de)